ECS Configuration Change Request Page 1 of 1 Pages			
CCR No. 96-0642A	Logged Date 06/18/96	Rev. A Request T	ype CCR
Priority Routine X	Urgent Emergency Emergency	Affected Release B	Change Class I I
Title (description) Update ASTER IRD to reflect F&PRS changes			
Documents Affected 505-4 Interface Requirements Do and MITI ASTER GDS Proje	ocument (IRD) Between ECS	Source Nos (RID, NCR, Action Item, GSFC CCR, etc.) or Tech Reference GSFC CCR# 505-01-41-064 (CH-07) Reference action item AC-96-0151	
RTM Change Start New Baseline			
Change from GSFC needs to be initiated to change the IRD to reflect the L3 F&PRS changes (Reference CCR 96-0296A. The proposed solution has been coordinated with and approved by Matt Schwaller/ESDIS, Code 505.			
Proposed Solution Update the ASTER IRD to be consistent with updates to the F&PRS.			
 Section 5-3, delete items p (Number of instruments involved in the investigation) and q (Which instruments are involved in the investigation) from ASTER-0110 to match changes to IMS-1070 (CH-07) Section 5-4, add new requirement ASTER-0140 to be consistent with IMS 1090 (CH-07) 			
ASTER-0140 - ECS shall have the capability to send and the ASTER GDS shall have the capability to receive changes to DARS for the ASTER instrument.			
Impact Analysis:	POO Contracto		
Organizations Affected: QA x Rel. A F	BOO X Contracts Rel. B X Rel. IR1	ESO FOS MRS [x] SMO [7	
A.1 Other	TKOL D X TKOL IKT		
Cost:	None Small		Large (Over \$500,000)
Schedule:	None Other		
Additional LOC		Man-Months	
Materials			
Originator L. Switalski (signed) L. Switalski 6/25/96 Signature Date			
Office SMO Office	ce Manager <u>(signed) Pete Ly</u> Signature	ons 6/25/96	Date
Disposition Appro	ved X Approved w/Com	ment Forward	Disapproved
Comments:			
CCB CI	hairperson <u>(signed)</u> R. E. Cl	inard 6/25/96	

CM01JU96 **ECS**

Date

Signature